

Page 1/10

Safety Data Sheet in accordance with HSNO

Printing date 11.04.2023

Version number 2

Revision: 11.04.2023

1 Identification of the substance or mixture and of the supplier

- · Product identifier
- Trade name: everX Flow

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Auxillary for dental technology

• **Details of the supplier of the safety data sheet** Henry Schein Dental

243-249 Bush Road, Rosedale Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

Flam. Liq. 4	H227 Combustible liquid.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Repr. 2	H361 Suspected of damaging fertility or the unborn child.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Label elements

• GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). Hazard pictograms



· Signal word Warning

• *Hazard-determining components of labelling:* Urethane Dimethacrylate (UDMA) diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide 2,2'-ethylenedioxydiethyl dimethacrylate

• Hazard statements Combustible liquid. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

NZ

Revision: 11.04.2023

Printing date 11.04.2023

Version number 2

Trade name: everX_Flow

(Contd. of page 1)

Precautionary statements
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 IF exposed or concerned: Get medical advice/attention.
 Specific treatment (see on this label).
 Take off contaminated clothing and wash it before reuse.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

• Dangerous compone	ents:	
CAS: 41637-38-1	<i>Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2- methylprop-2-enoic acid.</i>	10-<25%
C 10 70000 00 1	Aquatic Chronic 4, H413	5 . 100 (
CAS: 72869-86-4 EINECS: 276-957-5	Urethane Dimethacrylate (UDMA) Aquatic Chronic 2, H411; Skin Sens. 1, H317	5-<10%
CAS: 109-16-0 EINECS: 203-652-6	2,2'-ethylenedioxydiethyl dimethacrylate Skin Sens. 1, H317	2.5-<5%
CAS: 128-37-0 EINECS: 204-881-4	Butylated hydroxytoluene Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.25-<0.5%
CAS: 1879-09-0 EINECS: 217-533-1	6-tert-butyl-2,4-xylenol Acute Tox. 2, H310; STOT RE 2, H373; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥0.25-<0.5%
CAS: 2440-22-4 EINECS: 219-470-5	2-(2H-benzotriazol-2-yl)-p-cresol Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Sens. 1, H317; Aquatic Chronic 4, H413	0.2-<0.5%
CAS: 75980-60-8 EINECS: 278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Repr. 2, H361	0.2-<0.5%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide Carc. 2, H351	0.1-<0.2%
· Additional informati	ion: For the wording of the listed hazard phrases refer to section 16.	

4 First aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. (Contd. on page 3)

-----------------NZ

Printing date 11.04.2023

Version number 2

Revision: 11.04.2023

(Contd. of page 2)

Trade name: everX_Flow

Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • *After swallowing:*

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed Allergic reactions

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.

- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures
Remove persons from danger area.
Avoid contact with the eyes and skin.
Wear protective clothing.
• Environmental precautions:
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to penetrate the ground/soil.
In case of seepage into the ground inform responsible authorities.
• Methods and material for containment and cleaning up:
Absorb liquid components with liquid-binding material.
Dispose of the material collected according to regulations.
· Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 4)

Printing date 11.04.2023

Version number 2

Revision: 11.04.2023

Trade name: everX_Flow

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Avoid contact with the eyes and skin.
- · Information about fire and explosion protection: Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

· Ingredients with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide

WES (New Zealand) Long-term value: 10 mg/m³

· DNELs

128-37-0 Butylated hydroxytoluene

Dermal DNEL dermal 0.5 mg/kg bw/day (man)

Inhalative DNEL inhalation 3.5 mg/m3 (man)

1879-09-0 6-tert-butyl-2,4-xylenol

Inhalative DNEL inhalation 0.14 mg/m3 (man)

13463-67-7 titanium dioxide

Inhalative DNEL inhalation 10 mg/m3 (man)

• Additional information: The lists valid during the making were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

- Wash hands before breaks and at the end of work.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- · Respiratory protection: Suitable respiratory protective device recommended.

• Protection of hands:



Protective gloves

(Contd. on page 5)

[–] NZ

Printing date 11.04.2023

Version number 2

Revision: 11.04.2023

Trade name: everX_Flow

(Contd. of page 4)

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chen General Information	icu properues	
Appearance:		
Form:	Pasty	
Colour:	According to product specification	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: 190 °C	
Flash point:	92 °C	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C:	1.8 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
	(Contd	. on page

Printing date 11.04.2023

Version number 2

Revision: 11.04.2023

Trade name: everX_Flow

		(Contd. of page 5
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC (EC)	$0.0 \ g/l$	
• Other information	No further relevant information available.	

10 Stability and reactivity

· *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral LD50 >5,000 mg/kg (rat female) (OECD 401)

128-37-0 Butylated hydroxytoluene

 $Oral \qquad LD50 \qquad >6,000 \text{ mg/kg (rat (f+m)) (OECD 401)}$

1879-09-0 6-tert-butyl-2,4-xylenol

Oral	LD50	910 mg/kg (rat (f+m)) (OECD 401)
Dermal		<200 mg/kg (rabbit) (OECD 402)

2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol

Oral LD50 10,000 mg/kg (rat (f+m))

Inhalative LC50/4 h = 0.59 mg/l (rat (f+m))

13463-67-7 titanium dioxide

 Oral
 LD50
 >5,000 mg/kg (mouse) (OECD 420)

Inhalative |LC50/4 h| > 6.82 mg/l (rat male)

• Primary irritant effect:

• Skin corrosion/irritation No irritant effect.

• Serious eye damage/irritation No irritating effect.

• Respiratory or skin sensitisation Sensitisation possible through skin contact.

• Additional toxicological information:

• Repeated dose toxicity No further relevant information available.

(Contd. on page 7)

NZ

Safety Data Sheet

in accordance with HSNO

Printing date 11.04.2023

Version number 2

Revision: 11.04.2023

(Contd. of page 6)

Trade name: everX_Flow

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Repr. 2

12 Ecological information

· Toxicity

• Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

• *Persistence and degradability* No further relevant information available.

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

- *Mobility in soil* No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Harmful to aquatic organisms
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
NZS, ADN, IMDG, IATA	not regulated	
UN proper shipping name		
NZŜ, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
NZS, ADN, IMDG, IATA		
Class	not regulated	

[·] Uncleaned packaging:

Printing date 11.04.2023

Version number 2

Revision: 11.04.2023

Trade name: everX_Flow

		(Contd. of page 7)
· Packing group · NZS, IMDG, IATA	not regulated	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex I and the IBC Code		
· UN "Model Regulation":	not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

	d Inventory of Chemicals Glass, oxide, chemicals
	Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acia
72869-86-4	Urethane Dimethacrylate (UDMA)
2530-85-0	3-trimethoxysilylpropyl methacrylate
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate
128-37-0	Butylated hydroxytoluene
1879-09-0	6-tert-butyl-2,4-xylenol
2440-22-4	2-(2H-benzotriazol-2-yl)-p-cresol
10287-53-3	ethyl 4-dimethylaminobenzoate
10373-78-1	Camphorquinone
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
68611-44-9	Silane, dichlorodimethyl-, reaction products with silica
1309-37-1	Iron(III)oxide
1309-38-2	Iron (II,III) oxide
13463-67-7	titanium dioxide
20344-49-4	Iron hydroxide oxide
· HSNO Appi	roval numbers
1879-09-0	6-tert-butyl-2,4-xylenol HSR00362

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



· Signal word Warning

• *Hazard-determining components of labelling: Urethane Dimethacrylate (UDMA) diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide*

(Contd. on page 9)

Printing date 11.04.2023

Version number 2

Revision: 11.04.2023

Trade name: everX_Flow

(Contd. of page 8)

2,2'-ethylenedioxydiethyl dimethacrylate • Hazard statements Combustible liquid. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Harmful to aquatic life with long lasting effects.

· Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Relevant phrases H302 Harmful if swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. · Department issuing SDS: Regulatory affairs · Contact: msds@gc.dental · Abbreviations and acronvms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 4: Flammable liquids - Category 4 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity - Category 2 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 10)

⁻ NZ

NZ

Printing date 11.04.2023

Version number 2

Revision: 11.04.2023

Trade name: everX_Flow

(Contd. of page 9)	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 2: Carcinogenicity – Category 2	
Repr. 2: Reproductive toxicity – Category 2	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4	
Sources	
• ECHA (http://echa.europa.eu/)	
• EnviChem (www.echemportal.org)	
• * Data compared to the previous version altered.	
This version replaces all previous versions.	
Disclaimer:	
The information contained herein is believed to be true and accurate. However, all statements, recommendations	
or suggestions are made without any guarantee, representation or warranty, express or implied, on our part.	
Therefore, no warranty is made or to be implied that the information set out in this document is accurate or	
complete, and we accordingly exclude all liability in connection with the use of this information or the products	
referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also	
subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or	
limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.	
· · · · · · · · · · · · · · · · · · ·	