

Safety Data Sheet according to WHS Regulations

Printing date 01.09.2017



Version number 4

Revision: 21.06.2017

1 Identification

- **Product identifier**
- **Trade name:** GC MI Varnish
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Auxillary for dental technology
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Henry Schein Halas
44 O'Dea Ave
Waterloo NSW 2017
Tel: 1300 65 88 22
- **Further information obtainable from:** Regulatory affairs
- **Emergency telephone number:** 24 hours Emergency: 13 11 26.

2 Hazard(s) Identification

- **Classification of the substance or mixture**
Flam. Liq. 2 H225 Highly flammable liquid and vapour.
Acute Tox. 4 H302 Harmful if swallowed.
Eye Irrit. 2A H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
- **Label elements**
- **GHS label elements**
Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**

GHS02 GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:**
Hydrogenated rosin
Sodium fluoride
- **Hazard statements**
Highly flammable liquid and vapour.
Harmful if swallowed.
Causes serious eye irritation.
May cause an allergic skin reaction.
- **Precautionary statements**
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Safety Data Sheet according to WHS Regulations

Printing date 01.09.2017

Version number 4

Revision: 21.06.2017

Trade name: GC MI Varnish

(Contd. of page 1)

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Contact with acids liberates toxic gas.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**

· **Description:**

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· **Dangerous components:**

64-17-5	ethyl alcohol	Flam. Liq. 2, H225; Eye Irrit. 2A, H319	25-<50%
65997-06-0	Hydrogenated rosin	Skin Sens. 1, H317	10-<25%
7681-49-4	Sodium fluoride	Acute Tox. 3, H301; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	5-<10%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

If symptoms persist consult doctor.

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Do not use mouth to mouth or mouth to nose resuscitation.

Take affected persons into fresh air and keep quiet.

· **After skin contact:**

Generally the product does not irritate the skin.

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Do not induce vomiting; call for medical help immediately.

Rinse out mouth and then drink plenty of water.

Call for a doctor immediately.

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

Printing date 01.09.2017

Version number 4

Revision: 21.06.2017

Trade name: GC MI Varnish

(Contd. of page 2)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** Allergic reactions
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Mouth respiratory protective device.
Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

* 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Remove persons from danger area.
Keep away from ignition sources.
Wear protective equipment. Keep unprotected persons away.
Mount respiratory protective device.
Avoid contact with the eyes and skin.
Wear protective clothing.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Do not allow to penetrate the ground/soil.
Prevent seepage into sewage system, workpits and cellars.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Allow to evaporate.
Absorb liquid components with liquid-binding material.
Dispose of the material collected according to regulations.
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* 7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

(Contd. on page 4)

-AU-

Safety Data Sheet according to WHS Regulations

Printing date 01.09.2017

Version number 4

Revision: 21.06.2017

Trade name: GC MI Varnish

(Contd. of page 3)

- Avoid contact with the eyes and skin.*
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Do not spray onto a naked flame or any incandescent material.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Store only in unopened original receptacles.
- **Information about storage in one common storage facility:**
Do not store together with acids.
Store away from foodstuffs.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
Store in a cool place.
- **Specific end use(s)** *No further relevant information available.*

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** *No further data; see item 7.*
- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

64-17-5 ethyl alcohol
WES Long-term value: 1880 mg/m ³ , 1000 ppm

- **Additional information:** *The lists valid during the making were used as basis.*

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Avoid contact with the eyes and skin.
Wash hands before breaks and at the end of work.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
- **Respiratory protection:** *Suitable respiratory protective device recommended.*
- **Protection of hands:**
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Safety Data Sheet according to WHS Regulations

Printing date 01.09.2017

Version number 4

Revision: 21.06.2017

Trade name: GC MI Varnish

(Contd. of page 4)

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Pasty
Colour:	White
Odour:	Product specific
Odour threshold:	Not determined.

pH-value at 20°C (68 °F):	6.6 Not determined.
---------------------------	------------------------

- **Change in condition**

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	78°C (172.4 °F) Undetermined.

Flash point:	13°C (55.4 °F) Not applicable.
--------------	-----------------------------------

Flammability (solid, gas):	Not applicable.
----------------------------	-----------------

Ignition temperature:	Undetermined.
-----------------------	---------------

Decomposition temperature:	Not determined.
----------------------------	-----------------

Auto-ignition temperature:	Product is not selfigniting.
----------------------------	------------------------------

Explosive properties:	Product does not present an explosion hazard.
-----------------------	---

- **Explosion limits:**

Lower:	3.5Vol % Not determined.
Upper:	15Vol % Not determined.

Vapour pressure:	Not determined.
------------------	-----------------

Density at 20°C (68 °F):	1.1g/cm ³ (9.1795 lbs/gal) Not determined.
--------------------------	--

Relative density	Not determined.
------------------	-----------------

Vapour density	Not determined.
----------------	-----------------

Evaporation rate	Not determined.
------------------	-----------------

Solubility in / Miscibility with water:	Insoluble.
---	------------

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2017

Version number 4

Revision: 21.06.2017

Trade name: GC MI Varnish

(Contd. of page 5)

- | | |
|--|--|
| · Partition coefficient: n-octanol/water: | Not determined. |
| · Viscosity: | |
| · Dynamic at 20°C (68 °F): | 5mPas |
| | Not determined. |
| · Kinematic: | Not determined. |
| · Solvent content: | |
| · Organic solvents: | 35.6% |
| · VOC (EC) | 391.6 g/l |
| · Other information | No further relevant information available. |

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

64-17-5 ethyl alcohol

Oral	LD50	7,060 mg/kg (rat (f+m))
Inhalative	LC50/4 h	20,000 mg/l (rat (f+m))

- **Primary irritant effect:**
- **Skin corrosion/irritation** No irritant effect.
- **Serious eye damage/irritation** Irritating effect.
- **Respiratory or skin sensitisation** Sensitisation possible through skin contact.
- **Additional toxicological information:** Harmful
- **Repeated dose toxicity** No further relevant information available.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
No further relevant information available.

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 7)

AU

Safety Data Sheet according to WHS Regulations

Printing date 01.09.2017

Version number 4

Revision: 21.06.2017

Trade name: GC MI Varnish



(Contd. of page 6)

- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

<ul style="list-style-type: none"> · UN-Number · ADG, IMDG, IATA 	UN1993
<ul style="list-style-type: none"> · UN proper shipping name · ADG · IMDG, IATA 	1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL SOLUTION), special provision 640D FLAMMABLE LIQUID, N.O.S. (ETHANOL SOLUTION)
<ul style="list-style-type: none"> · Transport hazard class(es) · ADG 	3 (F1) Flammable liquids.
<div style="text-align: center;">  </div> <ul style="list-style-type: none"> · Class · Label 	3
<ul style="list-style-type: none"> · IMDG, IATA 	3
<div style="text-align: center;">  </div> <ul style="list-style-type: none"> · Class · Label 	3 Flammable liquids.
<ul style="list-style-type: none"> · Packing group · ADG, IMDG, IATA 	II
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	No
<ul style="list-style-type: none"> · Special precautions for user · Danger code (Kemler): 	Warning: Flammable liquids. 33

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2017

Version number 4

Revision: 21.06.2017

Trade name: GC MI Varnish

(Contd. of page 7)

· EMS Number:	<i>F-E,S-E</i>
· Stowage Category	<i>B</i>
· Transport in bulk according to Annex II of Marpol and the IBC Code	<i>Not applicable.</i>
· Transport/Additional information:	

· ADG	
· Limited quantities (LQ)	<i>1L</i>
· Excepted quantities (EQ)	<i>Code: E2</i>
	<i>Maximum net quantity per inner packaging: 30 ml</i>
	<i>Maximum net quantity per outer packaging: 500 ml</i>
· Transport category	<i>2</i>
· Tunnel restriction code	<i>D/E</i>

· IMDG	
· Limited quantities (LQ)	<i>1L</i>
· Excepted quantities (EQ)	<i>Code: E2</i>
	<i>Maximum net quantity per inner packaging: 30 ml</i>
	<i>Maximum net quantity per outer packaging: 500 ml</i>
· UN "Model Regulation":	<i>UN 1993 FLAMMABLE LIQUID, N.O.S., SPECIAL PROVISION 640D (ETHANOL SOLUTION), 3, II</i>

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Chemical Substances**

9003-20-7	Polyvinyl acetate
64-17-5	ethyl alcohol
65997-06-0	Hydrogenated rosin
111-90-0	Carbitol
7681-49-4	Sodium fluoride
	Silane, dichlorodimethyl-, reaction products with silica
7631-86-9	silicon dioxide
2216-51-5	L-menthol

· **Standard for the Uniform Scheduling of Medicines and Poisons**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

Hydrogenated rosin

(Contd. on page 9)

-AU

Safety Data Sheet

according to WHS Regulations

Printing date 01.09.2017

Version number 4

Revision: 21.06.2017

Trade name: GC MI Varnish

(Contd. of page 8)

Sodium fluoride

· **Hazard statements**

Highly flammable liquid and vapour.

Harmful if swallowed.

Causes serious eye irritation.

May cause an allergic skin reaction.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category** P5c FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

· **Relevant phrases**

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

· **Department issuing SDS:** Regulatory affairs

· **Contact:** msds@gceurope.com

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

· **Sources**

• ECHA (<http://echa.europa.eu/>)

• EnviChem (www.echemportal.org)

(Contd. on page 10)

Safety Data Sheet
according to WHS Regulations

Printing date 01.09.2017

Version number 4

Revision: 21.06.2017

Trade name: GC MI Varnish

(Contd. of page 9)

*** Data compared to the previous version altered.***This version replaces all previous versions.***Disclaimer:**

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

-AU-